EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1172	(mobile adj station) with (data near3 channel$2) with (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L2	166	(base near2 station) with ((base near3 controll$4) (radio near3 controll$4)) with (data near3 channel$2) with (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L3	59	L1 same L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L4	811	(base near2 station) same ((base near3 controll$4) (radio near3 controll$4)) same (data near3 channel$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L5	24277284	@ad<="20030512" or @rlad<="20030512" or @ptad<="20030512" or @pt1d<="20030512" or @pt3d<="20030512"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L6	1218	((threshold predetermin$4 value exceed$4 greater less limit$3 period$4 preselect$4 preset (pre near3 (set select$4))) near5 tim$4) with (bsc (base near3 control$4) (radio near3 control$4)) with (bs (base near3 station) bts (base near3 transceiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L7	1064	L5 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L8	96596	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L9	527	L7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27

EAST Search History

L10	1172	(mobile adj station) with (data near3 channel$2) with (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L11	166	(base near2 station) with ((base near3 controll$4) (radio near3 controll$4)) with (data near3 channel$2) with (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L12	59	L10 same L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
L13	496	(base near2 station) same ((base near3 controll$4) (radio near3 controll$4)) same (data near3 channel$2) same (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:28
L14	1505	(fast near4 ((setup) (set near2 up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:28
L15	2	L13 same L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:28
L16	1	(request$4 near3 messag$4) and (base near3 station) and (notification near3 message) and (tim$4 near threshold).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:32
L17	9	(messag$4) and (base near3 station) and (notification near3 message) and (tim$4 near threshold).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:33
S1	2	"20040229627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:33

EAST Search History

S2	548	(portable mobile cellular handheld hand?held movable wireless remote$2 terminal subscriber $phone (mobile adj station)) same (base near2 station) same ((base near3 controll$4) (radio near3 controll$4)) same (data near3 channel$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:38
S3	24031249	@ad<="20030512" or @rlad<="20030512" or @ptad<="20030512" or @pt1d<="20030512" or @pt3d<="20030512"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 14:22
S4	514	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:37
S5	63	(portable mobile cellular handheld hand?held movable wireless remote$2 terminal subscriber $phone (mobile adj station)) same (base near2 station) same ((base near3 controll$4) (radio near3 controll$4)) same (data near3 channel$2) same ((transmit$4 request$4) near4 messag$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:53
S6	62	S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:39
S7	960	(mobile adj station) with (data near3 channel$2) with (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 20:00
S8	883	S3 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:52
S9	144	(base near2 station) with ((base near3 controll$4) (radio near3 controll$4)) with (data near3 channel$2) with (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 20:02

EAST Search History

S10	51	S7 same S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
S11	48	S3 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:26
S12	2	"20020057667"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:26
S13	2586674	(mobile adj station) same (channel$2) same (fast near4 ((setup) (set near2 up))) (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 20:03
S14	420	(base near2 station) same ((base near3 controll$4) (radio near3 controll$4)) same (data near3 channel$2) same (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 20:04
S15	1304	(fast near4 ((setup) (set near2 up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 20:03
S16	2	S14 same S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37
S17	1631	(mobile adj station) same (channel$2) same ((setup) (set near2 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 20:04
S18	686	(base near2 station) same ((base near3 controll$4) (radio near3 controll$4)) same (data near3 channel$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
S19	27	S18 same S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 20:04

EAST Search History

S20	2	"6167248".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:12
S21	2	"20040229627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:12
S22	6	"6314292"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 12:23
S23	2	"6314292".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 14:16
S24	2	"20040229627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 14:19
S25	6639	(threshold predetermin$4 value exceed$4 greater less limit$3 d period$4 preselect$4 preset (pre near3 (set select$4))) with (bsc (base near3 control$4) (radio near3 control$4)) with (bs (base near3 station) bts (base near3 transceiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 14:22
S26	24189759	@ad<="20030512" or @rlad<="20030512" or @ptad<="20030512" or @pt1d<="20030512" or @pt3d<="20030512"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 14:22
S27	1709	(threshold predetermin$4 value exceed$4 greater less limit$3 d period$4 preselect$4 preset (pre near3 (set select$4))) with (bsc (base near3 control$4) (radio near3 control$4)) with (bs (base near3 station) bts (base near3 transceiver)) with (tim$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 14:23
S28	1928367	((threshold predetermin$4 value exceed$4 greater less limit$3 period$4 preselect$4 preset (pre near3 (set select$4))) near5 tim$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 14:25

S29	1151	((threshold predetermin$4 value exceed$4 greater less limit$3 period$4 preselect$4 preset (pre near3 (set select$4))) near5 tim$4) with (bsc (base near3 control$4) (radio near3 control$4)) with (bs (base near3 station) bts (base near3 transceiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 15:17
S30	1037	S26 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37
S31	92315	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 14:27
S32	509	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
S33	48	((threshold predetermin$4 value exceed$4 greater less limit$3 period$4 preselect$4 preset (pre near3 (set select$4))) near5 tim$4) with (bsc (base near3 control$4) (radio near3 control$4)) with (bs (base near3 station) bts (base near3 transceiver)) with (terminat$4 releas$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 15:31
S34	2	"6178337".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:28
S35	2	"6366779".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:28
S36	1096	(mobile adj station) with (data near3 channel$2) with (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37

EAST Search History

S37	155	(base near2 station) with ((base near3 controll$4) (radio near3 controll$4)) with (data near3 channel$2) with (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37
S38	56	S36 same S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:27
S39	24189759	@ad<="20030512" or @rlad<="20030512" or @ptad<="20030512" or @pt1d<="20030512" or @pt3d<="20030512"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37
S40	1151	((threshold predetermin$4 value exceed$4 greater less limit$3 period$4 preselect$4 preset (pre near3 (set select$4))) near5 tim$4) with (bsc (base near3 control$4) (radio near3 control$4)) with (bs (base near3 station) bts (base near3 transceiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37
S41	1037	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37
S42	461	(base near2 station) same ((base near3 controll$4) (radio near3 controll$4)) same (data near3 channel$2) same (transmit$4 send$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37
S43	1441	(fast near4 ((setup) (set near2 up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:37
S44	2	S42 same S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 20:28